In the Claims:

Please amend Claim 30, such that the claims are as set forth below.

- 1-20. (Cancelled)
- 21. (Previously Presented) A device for obtaining and testing a sample, comprising:
 - a housing; and
 - a lancing device operatively coupled to said housing for obtaining a sample;

wherein the housing is of a construction sufficient to receive a test strip for substantially capturing at least a portion of the sample and for providing a result that corresponds to the captured portion of the sample.

- 22. (Previously Presented) The device of claim 21, wherein the lancing device comprises a cutting edge that is substantially aligned with the test strip when the test strip is received in the housing.
- 23. (Previously Presented) The device of claim 21, wherein the lancing device is operatively coupled to said housing by a spring mechanism.
- 24. (Previously Presented) The device of claim 21, wherein the lancing device comprises a body having a first axis, and a sharp operatively connected to the body, wherein the sharp has a second axis that is substantially perpendicular to the first axis.
- 25. (Previously Presented) The device of claim 21, wherein the lancing device comprises a sharp that has at least two points.
- 26. (Previously Presented) The device of claim 21, wherein the lancing device is of a construction sufficient to pierce tissue of a patient.

THER.011US1 -2- Serial No.: 10/701,993

- 27. (Previously Presented) The device of claim 21, wherein when the test strip is received in the housing, the test strip is movable from a received position to a sample-contacting position.
- 28. (Previously Presented) The device of claim 27, wherein when the test strip is in the sample-contacting position, a fill channel of the test strip is substantially aligned with the sample.
- 29. (Previously Presented) The device of claim 21, wherein the result corresponds to a physiological property of the captured portion of the sample.
- 30. (Currently Amended) The device of claim 29, wherein the physiological property of the captured portion of the sample is selected from the group consisting of a glucose level, a carbohydrate level, a hemoglobin level, and a glycated hemoglobin level.
- 31. (Previously Presented) The device of claim 21, further comprising a controller operatively coupled to the housing for controlling operation of the lancing device.
- 32. (Previously Presented) The device of claim 21, further comprising an input unit operatively coupled to the housing for operating the lancing device.
- 33. (Previously Presented) The device of claim 21, further comprising a controller operatively coupled to the housing for controlling movement of the test strip when the test strip is received in the housing.
- 34. (Previously Presented) The device of claim 21, further comprising a display operatively coupled to the housing for displaying the result.
- 35. (Previously Presented) The device of claim 34, further comprising a controller operatively coupled to the housing for controlling the display.

THER.011US1 -3- Serial No.: 10/701,993

36. (Previously Presented) A method for obtaining and testing a sample from a patient, comprising:

providing an automated device on a test site of a patient, the automated device of a construction sufficient to obtain a sample from the test site, to test the sample for an analyte, and to provide a result of the test, automatically upon activation; and

activating the device.

- 37. (Previously Presented) The method of claim 36, wherein the automated device is of a construction sufficient to move a test strip into contact with the sample, automatically upon activation.
- 38. (Previously Presented) The method of claim 36, wherein the automated device is of a construction sufficient to pierce the test site and to move a test strip into contact with the sample from the pierced test site, automatically upon activation.
- 39. (Previously Presented) A method of obtaining and testing a sample, comprising:

activating an automated device, the automated device of a construction sufficient to obtain a sample, to test the sample for an analyte, and to provide a result of the test, upon activation.

- 40. (Previously Presented) The method of claim 39, wherein the sample is blood.
- 41. (Previously Presented) The method of claim 39, wherein the analyte is glucose.

THER.011US1 -4- Serial No.: 10/701,993